Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

California Report for the Week Ended Oct. 20, 1917.

The California State Board of Health reported that during the week ended October 20, 1917, 4 cases of anthrax in man occurred in the State, 3 cases in San Joaquin County and 1 case in Los Angeles County. There were fewer cases of anthrax among animals. One case of cerebrospinal meningitis occurred in Sacramento and one in Stockton. Six cases of smallpox were notified in Kern County. One case of poliomyelitis was notified in Los Angeles County and one case in the city of Los Angeles. Cases of diphtheria, mumps, typhoid fever, and whooping cough showed some increase.

The details of notifiable disease cases reported during the week ended October 13, 1917, are as follows:

Anthrax	1	Mumps	78
Cerebrospinal meningitis	5	Pneumonia	27
Chicken pox	33	Poliomyelitis	3
Diphtheria	37	Scarlet fever	74
Dysentery	2	Smallpox	2
Erysipelas	3	Syphilis	16
German measles	26	Tetanus	1
Gonococcus infection	36	Tuberculosis	73
Leprosy	1	Typhoid fever	31
Malaria	23	Whooping cough	47
Measles	42		

ANTHRAX.

Iowa—Muscatine.

On October 17, 1917, a case of anthrax was reported in Muscatine Township, just outside the city limits of Muscatine, Iowa, in the person of B. F. E., female, aged 31 years, engaged in housekeeping and truck farming.

ANTHRAX—Continued.

Wisconsin—Milwaukee.

On October 19, 1917, a case of anthrax was notified at Milwaukee, Wis., in the person of A. T., employed in the handling of hides at the plant of a leather company at Milwaukee. The infection was probably received from imported hides.

CEREBROSPINAL MENINGITIS.

State Reports for September, 1917.

Place.	New cases reported.
Kansas:	
Butler County—	
Augusta	1
Geary County—	
Junction City	1
Montgomery County—	
Independence	1
Riley County—	
Camp Funston	2
Wyandotte County—	
Kansas City	1
Total	6
Ohio:	
Champaign County	1
Cuyahoga County	6
Franklin County	1
Jefferson County	1
Lucas County	1
Mahoning County	3
Ross County	1
Stark County	2
Summit County	3
Ohio—Continued.	
Trumbull County	1
Total	20
Pennsylvania:	
Allegheny County	9
Blair County	1
Butler County	1
Columbia County	1
Erie County	2
Greene County	1
Lancaster County	1
Northumberland County	1
Philadelphia County	9
Washington County	1
Westmoreland County	1
Total	28
West Virginia:	
Ohio County—	
Wheeling	1

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass	1	1	Malden, Mass	1	
Bridgeport, Conn		1	Milwaukee, Wis	3	2
Chelsea, Mass	1	1	Minneapolis, Minn	1	
Chicago, Ill	8	4	Newark, N. J	1	
Cincinnati, Ohio	1	1	New York, N. Y		5
Cleveland, Ohio		1	Philadelphia, Pa	1	
Columbus, Ohio	1	2	Pittsburgh, Pa	3	2
Galesburg, Ill		1	Portland, Oreg	1	
Hartford, Conn	2		San Francisco, Cal		1

DIPHTHERIA.

Alabama—Elmore County.

On October 22, 1917, an outbreak of diphtheria was reported in Elmore County, Ala., where 8 cases of the disease, with 3 deaths, had occurred. The cases occurred principally in the town of Speigeners, where from among 40 pupils in one school 35 carriers were demonstrated by positive bacteriological cultures.

DIPHTHERIA—Continued.

Indiana.

On October 22, 1917, diphtheria was reported as epidemic at Connersville, Princeton, Rochester, and South Whitley, Ind.

See also Diphtheria, measles, scarlet fever, and tuberculosis, page 1817.

ERYSIPELAS.

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala.	.....	1	Philadelphia, Pa.	5	1
Buffalo, N. Y.	1	.....	Pittsburgh, Pa.	3	.....
Chicago, Ill.	4	.....	Portland, Oreg.	2	1
Cleveland, Ohio	5	.....	Reading, Pa.	1	.....
Denver, Colo.	3	.....	St. Louis, Mo.	1	.....
Detroit, Mich.	.....	1	San Francisco, Cal.	6	.....
Kansas City, Mo.	1	.....	Stockton, Cal.	1	.....
Los Angeles, Cal.	2	.....	Topeka, Kans.	1	.....
Milwaukee, Wis.	1	.....	Williamsport, Pa.	1	.....
Newark, N. J.	3	.....			

LEPROSY.

Mississippi—Biloxi.

On October 18, 1917, a case of leprosy was reported at Biloxi, Miss., in a person who had been employed as an oyster shucker at Biloxi for a period of six years.

Montana—Alberton.

On October 19, 1917, a case of leprosy was reported at Alberton, Mineral County, Mont.

MALARIA.

State Reports for September, 1917.

Place.	New cases reported.	Place.	New cases reported.
Kansas:		Ohio:	
Anderson County—		Cuyahoga County	3
Colony	1	Ross County	2
Garnett	2	Van Wert County	1
Butler County—			
El Dorado	2	Total	6
Latham	1		
		Pennsylvania:	
Total	6	Allegheny County	1
		Montgomery County	1
		Philadelphia County	2
		Total	4

MALARIA—Continued.

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala	[1] 36		New Orleans, La	2	1
Boston, Mass	2		Orange, N. J	1	
Charleston, S. C		3	Pittsfield, Mass	1	
Chelsea, Mass	1		Richmond, Va	6	
Los Angeles, Cal	1		San Diego, Cal	1	
Memphis, Tenn	18	2	Savannah, Ga	4	
Mobile, Ala		2	Stockton, Cal	2	
Newark, N. J	1				

[1] The reason that Birmingham had so many more cases of malaria reported than any other city is not that the disease is more prevalent in Birmingham than in other cities of Alabama and neighboring States, but undoubtedly because of the successful efforts the health department has made in securing the cooperation of the practicing physicians in reporting cases.

MEASLES.

See Diphtheria, measels, scarlet fever, and tuberculosis, page 1817.

PELLAGRA.

State Reports for August and September, 1917.

Place.	New cases reported.	Place.	New cases reported.
Oregon (Aug. 1-31):		Pennsylvania (Sept. 1-30):	
Malheur County	1	Allegheny County	1
Multnomah County	1		
Total	2	West Virginia (Sept. 1-30):	
		McDowell County	1
Kansas (Sept. 1-30):			
Cowley County—			
State Hospital at Winfield	2		
Shawnee County—			
Topeka	1		
Total	3		

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Birmingham, Ala	[1] 6	3	New York, N. Y	1	
Charleston, S. C		1	Philadelphia, Pa		1
Denver, Colo	1	1	Roanoke, Va		1
Lexington, Ky		2	Wilmington, N. C		1
Long Beach, Cal	1	1	Winston-Salem, N. C		1
Memphis, Tenn	4		Worcester, Mass	1	
New Orleans, La	1	1			

[1] The reason that Birmingham had so many cases of pellagra reported is not that the disease is more prevalent in Birmingham than in other cities of Alabama and neighboring States, but undoubtedly because of the successful efforts the health department has made in securing the cooperation of the practicing physicians in reporting cases.

PNEUMONIA.

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Ann Arbor, Mich.	1	.....	Long Beach, Cal.	2	2
Baltimore, Md.	6	7	Los Angeles, Cal.	8	9
Binghamton, N. Y.	5	2	Lowell, Mass.	1	3
Boston, Mass.	5	9	Lynn, Mass.	1	.....
Braddock, Pa.	1	.....	Manchester, N. H.	3	3
Cambridge, Mass.	1	2	Medford, Mass.	1	1
Chelsea, Mass.	1	.....	Newark, N. J.	24	7
Chicago, Ill.	114	72	New Bedford, Mass.	2	1
Chicopee, Mass.	4	.....	New Castle, Pa.	1	.....
Cleveland, Ohio	13	16	Philadelphia, Pa.	30	15
Dayton, Ohio	3	2	Pittsburgh, Pa.	23	22
Detroit, Mich.	2	14	Pontiac, Mich.	1	.....
Duluth, Minn.	2	1	Rutland, Vt.	1	.....
Fitchburg, Mass.	1	.....	San Francisco, Cal.	7	2
Flint, Mich.	4	.....	Schenectady, N. Y.	1	.....
Haverhill, Mass.	1	.....	Springfield, Mass.	3	.....
Jackson, Mich.	1	.....	Springfield, Ohio	1	.....
Kalamazoo, Mich.	4	2	Stockton, Cal.	1	.....
			Worcester, Mass.	3	1

POLIOMYELITIS (INFANTILE PARALYSIS).

Illinois.

During the week ended October 20, 1917, cases of poliomyelitis were notified in Illinois as follows: One each in Dewitt, Macon, McDonough, and McHenry Counties; 3 cases each in Rock Island and Whiteside Counties; 56 cases in Cook County, 49 of which were in the city of Chicago.

Indiana.

During the week ended October 20, 1917, poliomyelitis was reported in Indiana as follows: One case each at Fort Wayne, Gary, and Rensselaer.

Kansas.

During the week ended October 20, 1917, one case of poliomyelitis was notified at each of the following places in Kansas: Benton, Bigelow, Douglas, Herrington, McPherson, Tampa, and White Cloud.

Oregon—Portland.

Three cases of poliomyelitis were notified in the city of Portland, Oreg., one case each on October 11, 13, and 14, 1917.

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

State Reports for August and September, 1917.

Place.	New cases reported.
Oregon (Aug. 1-31):	
Clackamas County	1
Marion County	1
Multnomah County—	
Portland	2
Total	4
Kansas (Sept. 1-30):	
Brown County—	
Everest	1
Horton	1
Cowley County—	
Dexter	1
Dickinson County—	
Herington	1
Doniphan County—	
Severance	1
Elk County—	
Howard	1
Gray County—	
Montezuma	1
Leavenworth County—	
Leavenworth	1
McPherson County—	
McPherson (R. D.)	1
Montgomery County—	
Wayside	1
Ottawa County—	
Lamar	1
Pratt County—	
Preston	1
Rawlins County—	
McDonald	1
Republic County—	
Republic	1
Riley County—	
Randolph (R. D.)	1
Sedgwick County—	
Wichita	1
Shawnee County—	
Topeka	1
Smith County—	
Smith Center (R. D.)	1
Stevens County—	
Hugoton (R. D.)	3
Washington County—	
Greenleaf	1
Wyandotte County—	
Kansas City	2
Total	24
Ohio (Sept. 1-30):	
Allen County	1
Ashland County	2
Belmont County	6
Columbiana County	8
Cuyahoga County	6
Franklin County	1
Jackson County	3
Logan County	1
Lorain County	3
Mahoning County	1
Medina County	4
Montgomery County	2
Ohio—Continued.	
Morrow County	2
Richland County	3
Stark County	4
Summit County	17
Wayne County	7
Total	71
Pennsylvania (Sept. 1-30):	
Allegheny County	24
Beaver County	1
Butler County	1
Cambria County	1
Clarion County	1
Clearfield County	1
Crawford County	5
Dauphin County	1
Erie County	4
Fayette County	9
Franklin County	2
Greene County	2
Huntingdon County	2
Jefferson County	2
Lancaster County	20
Lawrence County	20
McKean County	2
Mercer County	10
Mifflin County	3
Montgomery County	1
Northampton County	2
Philadelphia County	1
Schuylkill County	2
Somerset County	4
Washington County	8
Westmoreland County	4
Total	133
West Virginia (Sept. 1-30):	
Barbour County	1
Braxton County	1
Cabell County—	
Huntington	2
Calhoun County	2
Hampshire County	2
Hancock County	1
Harrison County	6
Jackson County	4
Lewis County	6
Marshall County	4
Marion County	2
Mason County	2
Mineral County	3
Monroe County	1
Ohio County—	
Wheeling	2
Preston County	2
Richey County	3
Tucker County	1
Upshur County	3
Wood County	2
Parkersburg	8
Total	58

POLIOMYELITIS (INFANTILE PARALYSIS)—Continued.

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Boston, Mass	1	.....	Omaha, Nebr	1	1
Chicago, Ill	65	20	Philadelphia, Pa	1	.....
Cleveland, Ohio	2	.....	Providence, R. I	1	.....
Davenport, Iowa	2	.....	Richmond, Va	1	.....
Detroit, Mich	.....	1	Rock Island, Ill	1	1
Fort Wayne, Ind	1	.....	St. Louis, Mo	2	.....
Kansas City, Mo	2	.....	Seattle, Wash	1	.....
Minneapolis, Minn	1	.....	South Bend, Ind	1	.....
Mobile, Ala	1	.....	Syracuse, N. Y	1	.....
New Haven, Conn	1	.....	Washington, D. C	2	.....
New York, N. Y	3	1			

RABIES IN ANIMALS.

City Reports for Week Ended Oct. 6, 1917.

During the week ended October 6, 1917, cases of rabies in animals were reported as follows: Detroit, Mich., 3; Newark, N. J., 1; and New York, N. Y., 1.

ROCKY MOUNTAIN SPOTTED FEVER.

Kansas—Hoxie.

On October 20, 1917, the occurrence of a case of Rocky Mountain spotted fever was reported at Hoxie, Sheridan County, Kans. The patient was L. H., aged 2 years, who was taken sick August 17, 1917, and died October 1, 1917. The infection was received in Colorado.

SCARLET FEVER.

See Diphtheria, measles, scarlet fever, and tuberculosis, page 1817.

SMALLPOX.

Alabama.

On October 17, 1917, outbreaks of smallpox were reported in Alabama, as follows: In Pickens County, from 30 to 40 cases; and at Selma, Dallas County, 5 cases; all of the mild form of the disease.

Minnesota.

During the week ended October 20, 1917, two new foci of smallpox infection were reported in Minnesota, cases of the disease having been notified as follows: Marshall County, Strandquist, 2; Ramsey County, Rose Township, 1.

Ohio—Chillicothe.

On October 17, 1917, the occurrence of 5 cases of smallpox were reported at Chillicothe, Ohio.

SMALLPOX—Continued.

State Reports for September, 1917.

Place.	New cases reported.	Deaths.	Vaccination history of cases.			
			Number vaccinated within 7 years preceding attack.	Number last vaccinated more than 7 years preceding attack.	Number never successfully vaccinated.	Vaccination history not obtained or uncertain.
Kansas:						
Atchison County—						
Atchison	1				1	
Butler County—						
Augusta (R. D.)	1				1	
Cowley County—						
Arkansas City (R. D.)	1				1	
Geuda Springs	3				3	
Geary County—						
Junction City	1				1	
Jefferson County—						
McLouth (R. D.)	1				1	
Johnson County—						
Shawnee (R. D.)	1				1	
Leavenworth County—						
Leavenworth	3				3	
Lincoln County—						
Barnard (R. D.)	1				1	
Miami County—						
Paola	1				1	
Montgomery County—						
Coffeyville	3				3	
Independence	3				3	
Norton County—						
Norton	1				1	
Riley County—						
Fort Riley	1				1	
Sumner County—						
Oxford (R. D.)	1				1	
Wellington (R. D.)	1				1	
Wabaunsee County—						
McFarland	1				1	
Wilson County—						
Fredonia (R. D.)	1				1	
Wyandotte County—						
Kansas City	19				19	
Total	45				45	
Massachusetts:						
Worcester County—						
Winchendon (town)	1			1		
Ohio:						
Butler County	5				5	
Clark County	2					2
Cuyahoga County	69				1	68
Darke County	1				1	
Erie County	1				1	
Fairfield County	5				3	2
Franklin County	6				4	2
Gallia County	5					5
Greene County	2					2
Guernsey County	1				1	
Highland County	1					1
Knox County	1					1
Lucas County	26				1	25
Miami County	1			1		
Montgomery County	8					8
Scioto County	8				1	7
Shelby County	9			1	7	1
Summit County	10					10
Trumbull County	1				1	
Van Wert County	1				1	
Warren County	3					3
Wayne County	2				1	1
Williams County	1					1
Total	169			2	28	139

SMALLPOX—Continued.

Miscellaneous State Reports.

Place.	Cases.	Deaths.
Pennsylvania (Sept. 1-30):		
Allegheny County	1	.....
Blair County	2	.....
Dauphin County	2	.....
Erie County	3	.....
Snyder County	2	.....
Warren County	2	.....
Total	12	.....
West Virginia (Sept. 1-30):		
Doddridge County	9	.....
West Virginia—Continued.		
Fayette County	1	.....
Jackson County	2	.....
Monongalia County	2	.....
Pendleton County	1	.....
Tyler County	1	.....
Wirt County	2	.....
Wood County	2	.....
Total	20	.....

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.
Alton, Ill	1	.....
Butte, Mont	9	.....
Chicago, Ill	3	.....
Cleveland, Ohio	24	.....
Coffeyville, Kans	1	.....
Columbus, Ohio	2	.....
Dayton, Ohio	3	.....
Denver, Colo	1	.....
Detroit, Mich	5	.....
Evansville, Ind	1	.....
Everett, Wash	1	.....
Fort Wayne, Ind	29	.....
Grand Rapids, Mich	1	.....
Indianapolis, Ind	22	.....
Kansas City, Kans	2	.....
Kansas City, Mo	9	.....
La Crosse, Wis	2	.....
Leavenworth, Kans	2	.....
Lincoln, Nebr	1	.....
Minneapolis, Minn	5	.....
Muscatine, Iowa	1	.....
Omaha, Nebr	5	.....
Quincy, Ill	1	.....
Richmond, Va	1	.....
St. Joseph, Mo	1	.....
St. Louis, Mo	2	.....
Salt Lake City, Utah	1	.....

TETANUS.

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.
Newburgh, N. Y	.....	1
Philadelphia, Pa	1	1
Pittsburgh, Pa	.....	1
Pittsfield, Mass	1	1
Portsmouth, Va	.....	1
St. Louis, Mo	1	1
San Diego, Cal	1	1

TUBERCULOSIS.

See Diphtheria, measles, scarlet fever, and tuberculosis, see page 1817.

TYPHOID FEVER.

Indiana—Michigan City.

Typhoid fever was reported as epidemic at Michigan City, Ind., on October 22, 1917.

State Reports for August and September, 1917.

Place.	New cases reported.
Oregon (Aug. 1-31):	
Clatsop County	1
Douglas County	1
Multnomah County—	
Portland	15
Polk County	1
Tillamook County	1
Yamhill County	2
Total	21
Kansas (Sept. 1-30):	
Allen County	8
Anderson County	3
Atchison County	7
Barton County	1
Bourbon County	3
Brown County	3
Butler County—	
Augusta (R. D.)	20
Douglas (R. D.)	3
Eldorado (R. D.)	84
Potwin	2
Rosehill (R. D.)	1
Chase County	4
Chautauqua County	2
Cherokee County	4
Cheyenne County	2
Cloud County	3
Coffey County	2
Cowley County	7
Crawford County	30
Decatur County	1
Dickinson County—	
Abilene	1
Elmo (R. D.)	3
Herington	11
Doniphan County	11
Douglas County	4
Edwards County	2
Elk County	7
Ellis County	1
Ellsworth County	4
Finney County	1
Ford County	2
Franklin County	8
Geary County	4
Gove County	1
Gray County—	
Cimarron (R. D.)	12
Greenwood County	6
Harper County	3
Harvey County	2
Jefferson County	1
Jewell County	2
Johnson County	5
Kearny County	2
Kingman County	1
Labette County	9
Leavenworth County—	
Basehor (R. D.)	1
Easton	1
Jarbalo	2
Lansing	2
Leavenworth (R. D.)	15
Linwood	2
Lincoln County	2
Linn County	5
Kansas (Sept. 1-30)—Continued.	
Lyon County	6
Marion County	2
Marshall County	6
McPherson County	4
Meade County	1
Miami County	1
Mitchell County	1
Montgomery County	13
Morris County	2
Neosho County	13
Ness County	3
Norton County	2
Osage County	3
Osborne County	1
Ottawa County	1
Pawnee County	1
Phillips County	2
Pottawatomie County	1
Reno County	6
Republic County	3
Rice County	3
Riley	11
Rooks County	1
Russell County	4
Saline County	4
Sedgwick County—	
Wichita (R. D.)	34
Seward County	3
Shawnee County—	
Topeka (R. D.)	23
Sheridan County	2
Smith County	3
Sumner County	11
Washington County	3
Wilson County	9
Woodson County	1
Wyandotte County—	
Kansas City	15
Piper	1
Rosedale	1
Wolcott	1
Total	525
Ohio (Sept. 1-30):	
Adams County	2
Allen County	12
Ashland County	6
Ashtabula County	3
Athens County	20
Auglaize County	7
Belmont County	33
Brown County	7
Butler County	2
Carroll County	6
Champaign County	3
Clark County	9
Clermont County	16
Clinton County	4
Columbiana County	6
Coshocton County	4
Crawford County	3
Cuyahoga County	45
Darke County	8
Defiance County	8
Delaware County	4
Erie County	3
Fairfield County	9

TYPHOID FEVER—Continued.

State Reports for August and September, 1917—Continued.

Place.	New cases reported.
Ohio (Sept. 1-30)—Continued.	
Fayette County	6
Franklin County	20
Fulton County	8
Gallia County	1
Geauga County	1
Guernsey County	16
Hamilton County	19
Hancock County	4
Hardin County	3
Highland County	12
Hocking County	9
Jackson County	3
Jefferson County	9
Knox County	5
Lawrence County	4
Licking County	15
Logan County	6
Lorain County	3
Lucas County	22
Madison County	5
Mahoning County	11
Marion County	4
Medina County	5
Mercer County	5
Miami County	6
Monroe County	1
Montgomery County	26
Morrow County	2
Muskingum County	6
Noble County	1
Ottawa County	1
Paulding County	2
Perry County	2
Pickaway County	5
Pike County	3
Portage County	7
Putnam County	2
Richland County	8
Ross County	15
Sandusky County	3
Scioto County	14
Seneca County	2
Shelby County	10
Stark County	14
Summit County	37
Trumbull County	5
Tuscarawas County	10
Union County	1
Van Wert County	1
Warren County	8
Wayne County	5
Williams County	2
Wood County	10
Wyandot County	3
Total	628
Pennsylvania (Sept. 1-30):	
Adams County	13
Allegheny County	125
Armstrong County	19
Beaver County	18
Bedford County	20
Berks County	13
Blair County	38
Bradford County	10
Bucks County	18
Butler County	6
Cambria County	45
Carbon County	1
Center County	9
Chester County	27
Clarion County	7
Clearfield County	21
Clinton County	1
Columbia County	7
Pennsylvania (Sept. 1-30)—Continued.	
Crawford County	3
Cumberland County	1
Dauphin County	13
Delaware County	9
Erie County	25
Fayette County	31
Franklin County	23
Fulton County	5
Greene County	4
Huntingdon County	21
Indiana County	6
Jefferson County	7
Juniata County	2
Lackawanna County	4
Lancaster County	68
Lawrence County	10
Lebanon County	13
Lehigh County	18
Luzerne County	10
Lycoming County	8
McKean County	2
Mercer County	10
Mifflin County	5
Montgomery County	32
Montour County	11
Northampton County	18
Northumberland County	7
Perry County	2
Philadelphia County	105
Potter County	2
Schuylkill County	15
Snyder County	3
Somerset County	32
Susquehanna County	1
Tioga County	8
Union County	1
Venango County	4
Warren County	1
Washington County	20
Wayne County	1
Westmoreland County	21
York County	27
Total	1,007
West Virginia (Sept. 1-30):	
Barbour County	5
Berkeley County	8
Brooke County	6
Cabell County	13
Doddridge County	5
Fayette County	35
Gilmer County	1
Grant County	12
Greenbrier County	4
Hancock County	8
Jackson County	1
Jefferson County	5
Kanawha County	5
Charleston	17
Lincoln County	2
McDowell County	9
Marshall County	2
Marion County	7
Mason County	2
Mercer County	6
Princeton	38
Mineral County	13
Mingo County	9
Monongalia County	17
Morgan County	4
Ohio County—	
Wheeling	16
Pendleton County	6

TYPHOID FEVER—Continued.

State Reports for August and September, 1917—Continued.

Place.	New cases reported.	Place.	New cases reported.
West Virginia (Sept. 1-30)—Continued.		West Virginia (Sept. 1-30)—Continued.	
Pocahontas County	11	Tucker County	2
Preston County	2	Tyler County	2
Raleigh County	8	Upshur County	3
Roane County	6	Wood County	2
Summers County	1		
Taylor County	1	Total	294

City Reports for Week Ended Oct. 6, 1917.

Place.	Cases.	Deaths.	Place.	Cases.	Deaths.
Alton, Ill.	4		Medford, Mass.	4	
Ann Arbor, Mich.	2		Memphis, Tenn.	9	1
Atlantic City, N. J.	2		Milwaukee, Wis.	5	
Baltimore, Md.	26	4	Minneapolis, Minn.	7	
Birmingham, Ala.	26	3	Nashville, Tenn.	7	
Boston, Mass.	10		Newark, N. J.	2	
Bridgeport, Conn.	1	2	New Bedford, Mass.	3	
Buffalo, N. Y.	6		New Haven, Conn.	2	
Cambridge, Mass.	1		New London, Conn.	2	
Camden, N. J.	1		New Orleans, La.	10	1
Canton, Ohio	1		New York, N. Y.	48	9
Chelsea, Mass.		1	Niagara Falls, N. Y.	2	
Chicago, Ill.	15	3	Norfolk, Va.	6	
Cincinnati, Ohio	9		Oakland, Cal.	1	
Cleveland, Ohio	9	1	Oklahoma City, Okla.	2	1
Clinton, Mass.	1		Perth Amboy, N. J.	1	
Columbus, Ohio	2	2	Philadelphia, Pa.	39	5
Concord, N. H.	1		Pittsburgh, Pa.	12	1
Covington, Ky.		1	Plainfield, N. J.		1
Cumberland, Md.	2		Portland, Oreg.	5	
Dayton, Ohio	2		Providence, R. I.	4	
Denver, Colo.	2	2	Reading, Pa.	5	
Detroit, Mich.	11	2	Richmond, Va.	1	
East Chicago, Ind.	1		Roanoke, Va.	3	
Erie, Pa.	4		Sacramento, Cal.	2	
Evansville, Ind.	2		Saginaw, Mich.	1	
Fall River, Mass.	9	1	St. Joseph, Mo.	1	
Flint, Mich.	6		St. Louis, Mo.	17	1
Fort Wayne, Ind.	1		Salt Lake City, Utah	11	3
Fort Worth, Tex.	2		San Diego, Cal.	3	
Galveston, Tex.	2	1	San Francisco, Cal.	6	
Grand Rapids, Mich.	5		Savannah, Ga.		1
Harrisburg, Pa.	1		Seattle, Wash.	3	
Hartford, Conn.	4	1	Somerville, Mass.		3
Indianapolis, Ind.	7		South Bend, Ind.	14	
Jersey City, N. J.	3		Springfield, Ill.	2	
Johnstown, Pa.	5		Springfield, Mass.		5
Kansas City, Kans.	1		Stockton, Cal.	2	
Kansas City, Mo.	5	2	Syracuse, N. Y.	4	2
Kenosha, Wis.	1		Toledo, Ohio	1	
Knoxville, Tenn.	2		Topeka, Kans.	5	
Kokomo, Ind.	3		Troy, N. Y.	9	1
Leavenworth, Kans.	2	1	Washington, D. C.	9	
Lexington, Ky.	1	1	Washington, Pa.	1	
Long Branch, N. J.	1		Wheeling, W. Va.	3	
Lorain, Ohio	2		Wichita, Kans.	5	
Los Angeles, Cal.	10	1	Williamsport, Pa.	1	
Lowell, Mass.	2		Winston-Salem, N. C.	2	2
Lynchburg, Va.	3		Worcester, Mass.	1	
Malden, Mass.	1		York, Pa.	2	

TYPHUS FEVER.

City Reports for Week Ended Oct. 6, 1917.

During the week ended October 6, 1917, one case of typhus fever was reported in New York City.

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS.

State Reports for September, 1917.

State.	Cases reported.			State.	Cases reported.		
	Diphtheria.	Measles.	Scarlet fever.		Diphtheria.	Measles.	Scarlet fever.
Kansas	75	50	79	Pennsylvania	1,558	239	410
Ohio	771	80	343	West Virginia	180	8	60

Oregon Report for August, 1917.

During the month of August, 1917, 13 cases of diphtheria, 9 cases of measles, and 22 cases of scarlet fever were reported in the State of Oregon.

City Reports for Week Ended Oct. 6, 1917.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Over 500,000 inhabitants:										
Baltimore, Md	589,621	189	23	2	9	.....	7	.....	36	20
Boston, Mass	756,476	185	72	1	23	.....	16	.....	52	21
Chicago, Ill	2,497,722	685	230	24	15	1	88	2	322	62
Cleveland, Ohio	674,073	175	56	4	1	.....	7	.....	31	.....
Detroit, Mich	571,784	178	87	9	3	2	29	.....	25	13
Los Angeles, Cal	503,812	114	11	.....	1	.....	8	.....	33	14
New York, N. Y	5,602,841	1,342	254	23	62	1	70	.....	323	175
Philadelphia, Pa	1,709,518	405	58	7	7	.....	17	1	77	59
Pittsburgh, Pa	579,090	194	48	6	2	.....	4	.....	28	13
St. Louis, Mo	757,309	188	74	5	2	.....	15	.....	34	18
From 300,000 to 500,000 inhabitants:										
Buffalo, N. Y	468,558	137	14	2	.....	.....	13	1	19	16
Cincinnati, Ohio	410,476	106	21	.....	1	.....	9	.....	24	13
Jersey City, N. J	306,345	64	11	2	4	.....	7	.....	27	6
Milwaukee, Wis	436,535	80	21	5	12	.....	28	.....	16	6
Minneapolis, Minn	363,454	.....	44	.....	4	.....	3	.....	.....	.....
Newark, N. J	408,894	111	13	1	11	.....	10	.....	29	16
New Orleans, La	371,747	109	27	.....	.....	.....	2	.....	22	16
San Francisco, Cal	463,516	119	10	.....	9	.....	3	.....	24	8
Seattle, Wash	348,639	57	7	2	4	.....	5	.....	.....	2
Washington, D. C	363,980	116	85	1	1	.....	11	.....	23	17
From 200,000 to 300,000 inhabitants:										
Columbus, Ohio	214,878	59	8	.....	.....	.....	20	.....	10	4
Denver, Colo	260,800	50	4	1	3	.....	2	.....	.....	9
Indianapolis, Ind	271,708	.....	141	.....	4	.....	8	.....	9	.....
Kansas City, Mo	297,847	66	10	.....	1	.....	1	.....	3	13
Portland, Oreg	295,463	40	5	1	1	.....	4	.....	5	6
Providence, R. I	254,960	54	11	2	.....	.....	3	.....	.....	6

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Oct. 6, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 100,000 to 200,000 inhabitants:										
Birmingham, Ala	181,762	53	4		14		2		6	4
Bridgeport, Conn	121,579	39	3		1		2		3	4
Cambridge, Mass	112,981	29	6						2	3
Camden, N. J	106,233		4		5				2	
Dayton, Ohio	127,224	34	7	1			2		6	3
Fall River, Mass	128,366	32	2	1			1		9	2
Fort Worth, Tex	104,562	12	3				4			
Grand Rapids, Mich	128,291	24	4		1		2		3	
Hartford, Conn	110,900	40	8	1	2		4		6	1
Lowell, Mass	113,245	37	6		1				3	2
Lynn, Mass	102,425	16	3	1					5	3
Memphis, Tenn	148,995		21	2	2		3		18	7
Nashville, Tenn	117,057	25	2				4		4	4
New Bedford, Mass	118,158	33	3		7		3		8	4
New Haven, Conn	149,685		2		1		1		3	2
Oakland, Cal	198,604	57	2		4		6			5
Omaha, Nebr	165,470	27	4	1	1		2			2
Reading, Pa	109,381	19	6	1			1		1	
Richmond, Va	156,687	39	14		1		3		9	5
Salt Lake City, Utah	117,399	26	4		6		6			
Springfield, Mass	105,942	29	12	2	2		8		3	4
Syracuse, N. Y	155,624	35	13		1		4		6	1
Toledo, Ohio	191,554	72	7		2		3		1	2
Trenton, N. J	111,593	27	11				1		6	2
Worcester, Mass	163,314	47	2	3			3		7	3
From 50,000 to 100,000 inhabitants:										
Atlantic City, N. J	57,660		1		1				15	
Bayonne, N. J	69,893		2				2		2	
Berkeley, Cal	57,653	4	2	1	4				3	
Binghamton, N. Y	53,973	16	2				2		6	3
Canton, Ohio	60,852	18	3				1			1
Charleston, S. C	60,734	30	7							5
Covington, Ky	57,144	16	9		1		1		2	1
Duluth, Minn	94,495	15	15		2		5		3	1
El Paso, Tex	63,705									8
Erie, Pa	75,195		7				2		5	28
Evansville, Ind	76,078	22					4			3
Flint, Mich	54,772		3				2			3
Fort Wayne, Ind	76,183	20	8	2						
Harrisburg, Pa	72,015	22	4				7		3	
Hoboken, N. J	77,214	31					1		2	2
Johnstown, Pa	68,529	13	1				2		2	1
Kansas City, Kans	99,437		6						2	
Malden, Mass	51,155	10	6	1			1			1
Manchester, N. H	78,283	26	1		6					
Mobile, Ala	58,221	29	4		1				1	3
Norfolk, Va	89,612		3				2			
Oklahoma City, Okla	92,943	17	2				1			
Passaic, N. J	71,744	10	15	1	1				1	
Rockford, Ill	55,185	22	1						4	
Sacramento, Cal	66,895	16	2	1			4			1
Saginaw, Mich	55,642	9	1				3			
St. Joseph, Mo	85,236	17	4						2	3
San Diego, Cal	53,330	17					2		7	4
Savannah, Ga	68,805	37	5	1						6
Schenectady, N. Y	99,519	20	1	1					6	
Sioux City, Iowa	57,078		1							
Somerville, Mass	87,039	15	5	1	1		3		2	3
South Bend, Ind	68,946	11					2			
Springfield, Ill	61,120		1				1			
Springfield, Ohio	51,550	17	4				1		4	3
Terre Haute, Ind	66,083	17	5						1	2
Troy, N. Y	77,916		1		3				7	3
Wichita, Kans	70,722		1				4		11	1
Wilkes-Barre, Pa	76,776	18	8				1		3	
Wilmington, Del	94,265	43								6
York, Pa	51,656		3				1			

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Oct. 6, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 25,000 to 50,000 inhabitants:										
Alameda, Cal	27,732	10			2		11			3
Auburn, N. Y	37,385	15	5	2	2				2	
Austin, Tex	34,814	13								2
Bellingham, Wash	32,985	3								
Brookline, Mass	32,730	8					2		1	
Butler, Pa	27,632	4	9							
Butte, Mont	43,425				1		5		1	
Chelsea, Mass	46,192	12	2		2		2		3	
Chicopee, Mass	29,319	5							4	1
Cumberland, Md	26,074	7							2	1
Danville, Ill	32,261	7					2		1	1
Davenport, Iowa	48,811		2							
Dubuque, Iowa	39,873		2				2			4
East Chicago, Ind	28,743	12	4		1					1
East Orange, N. J	42,458	11			1				1	1
Elgin, Ill	28,203	6							4	
Everett, Mass	39,233	4								
Everett, Wash	35,486	3								1
Fitchburg, Mass	41,781	14	6						1	
Galveston, Tex	41,863	13	1	1					1	1
Green Bay, Wis	29,353	8					1			
Haverhill, Mass	48,477	7	2				3			
Jackson, Mich	35,363	12			1		2		3	
Kalamazoo, Mich	48,886	17	7	1	7					1
Kenosha, Wis	31,576	4	1				6			
Knoxville, Tenn	38,676		4		3		15		2	
La Crosse, Wis	31,677	11	6							
Lexington, Ky	41,097	16	7		8					2
Lima, Ohio	35,384	9	6	1			3			
Lincoln, Nebr	46,515	11								
Long Beach, Cal	27,587	13								1
Lorain, Ohio	36,964		6						2	
Lynchburg, Va	32,940	10								1
Madison, Wis	30,699		1				1			
Medford, Mass	26,234	5					3		1	
Montclair, N. J	26,318	3							2	1
Nashua, N. H	27,327	6	2							1
Newburgh, N. Y	29,603	10			3					2
New Castle, Pa	41,133		1							
Newport, Ky	31,927	8					1		1	
Newport, R. I	30,108	2	2							
Newton, Mass	43,715	9	4						1	2
Niagara Falls, N. Y	37,353	13			1				1	1
Ogden, Utah	31,404	6	2	1			6			
Orange, N. J	33,080	10	1						1	2
Pasadena, Cal	46,459	6							1	
Perth Amboy, N. J	41,185						2		2	
Pittsfield, Mass	38,629	12			1		1			
Portsmouth, Va	39,651	14	2				2			4
Quincy, Ill	36,789	9	1						1	
Quincy, Mass	38,136	6	1		5				3	
Roanoke, Va	43,284	11	3		2				2	1
Rock Island, Ill	28,926	8			1				2	
San Jose, Cal	38,902						1		4	
Steubenville, Ohio	27,445	5								
Stockton, Cal	35,358								1	
Superior, Wis	46,226	6								1
Taunton, Mass	36,283	13								1
Topeka, Kans	48,723	6	1				2			
Waltham, Mass	30,570	4	8				1			
Watertown, N. Y	29,894				2				3	
Wheeling, W. Va	43,377	11	3							1
Williamsport, Pa	33,809		8						1	
Wilmington, N. C	29,892	9					1			
Winston-Salem, N. C	31,155	15					1		2	
Zanesville, Ohio	30,863	12								2

DIPHTHERIA, MEASLES, SCARLET FEVER, AND TUBERCULOSIS—Continued.

City Reports for Week Ended Oct. 6, 1917—Continued.

City.	Population as of July 1, 1916 (estimated by U. S. Census Bureau).	Total deaths from all causes.	Diphtheria.		Measles.		Scarlet fever.		Tuberculosis.	
			Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
From 10,000 to 25,000 inhabitants:										
Alton, Ill	22,874	8	2							
Ann Arbor, Mich	15,010	14	3				1			
Berlin, N. H	13,599	2								
Braddock, Pa	21,685		8				1		1	
Cairo, Ill	15,794	7								1
Clinton, Mass	[1] 13,075	2							1	
Concord, N. H	22,669	7	6	1			1		1	1
Galesburg, Ill	24,276	4	1							
Harrison, N. J	16,950		3						1	
Kearny, N. J	23,539	7			8					
Kokomo, Ind	20,930	4	4						1	2
Leavenworth, Kans	19,363	5	1							
Long Branch, N. J	15,395	4	4							2
Marinette, Wis	[1] 14,610	1								
Melrose, Mass	17,445	8	2				1			
Morristown, N. J	13,284	4								
Nanticoke, Pa	23,126	2	3						1	
Newburyport, Mass	15,243	3	2		1		1		1	
New London, Conn	20,985	4	1							
North Adams, Mass	[1] 22,019		1				1		1	
Northampton, Mass	19,926	6					7			
Plainfield, N. J	23,805	6	2	1						1
Pontiac, Mich	17,524	3								2
Portsmouth, N. H	11,666						6			
Rocky Mount, N. C	12,067	4							1	
Rutland, Vt	14,831	2								
Sandusky, Ohio	20,193	12								
Saratoga Springs, N. Y	13,821	9								1
Steelton, Pa	15,548	3	6				1		1	
Washington, Pa	21,618						3			
Wilkinsburg, Pa	23,228	9					1		1	

[1] Population Apr. 15, 1910; no estimate made.